

801, "351 – ICON", Andheri (E), Mumbai – 400069 ,India Tele – 022 26833778 www.ambaniorganics.com

## **AOPL PA 561 Pure Acrylic 50%**

Chemical type	:	Pure Acrylic
Visual Appearance	:	Milky white
Solid content	:	50 +/- 1%
Viscosity @ 30 C Brookfield RVT Spindale No 4 RPM 10	:	400 – 500 c.Ps
рН	:	8~10
Free monomer content	:	< 0.3%
MFFT	:	18°C
Properties	:	Surfactant stabilized fine particle size, excellent binding, good wet scrub, excellent color retention. UV resistant & low dirt pick-up.
Recommended Applications	:	For use in high sheen/high gloss, premier quality interior/exterior paint.

## ISO: 9001 : 2008 Certified

The above information is to the best of our knowledge true and accurate. Since the conditions that the products are used in cannot be handled or controlled by us we cannot guarantee the results and assume liability to damages incurred by using this product

Refer to M.S.D.S. for handling procedures.