

10

to Zen

- 1) Adequate Knowledge of Business
- 2) New Product Development
- 3) Bigger Basket Offering
- 4) In House Quality Check
- 5) Timely Delivery
- 6) Our Services
- 7) Optimal Solution
- 8) Commitment
- 9) Trust & Reliability
- 10) Good Business Practices

10 Years in business with unchanged value...

“No Compromise”

Kitten has been pioneers in Marketing & Manufacturing of Industrial Filters, Clean-Room Products & Sterilization Packaging Material and since then there has been no looking back. Even being a mid size company our world class innovative products and highly efficient customer services make us pioneers of this respective market. We take Pride in our ability to propose tailored and abrupt solutions for the challenges coming from our valued clients -

"LET IT BE AN EXTREMELY LARGE INVENTORY OF THE HIGHEST QUALITY PRODUCTS OR TIGHT DEADLINES OF DAYS AND SOMETIMES EVEN HOURS".

Kitten being an ISO 9001:2008 certified company, assures that there clients gets the quality & delivery of their products just as per there requirements.

Our Customers are from different industries such as Pharmaceutical, Biotech, Alcoholic & Non-Alcoholic Beverages, Chemicals, Paint & Ink, Automotive & Fluid Processing Industries. They all hold a very special space for us hence we endeavor not only to meet but exceeds there expectations. We want to go beyond our clients expectations and provide them more quality, standard and efficiency while dealing with Kitten!

“Medical Packaging”




BOP® Reel & Pouch



Amcor Flexibles SPS invented the first 100% peel-off pouch in 1996. Since then, BOP® pouches and reels have become the most popular preformed Sterile Barrier Systems (NF EN ISO 11607-1) in the world, used in more than 85 countries.

Amcor Flexibles SPS has always aimed to offer quality levels in accordance with the continuously rising standards in hospital sterilisation.



92BOP50200|92BOP75200|92BOP10200|92BOP15200
92BOP20200|92BOP25200|92BOP30200|92BOP38200|92BOP42100

BOP® offers users an effective microbial barrier while guaranteeing the effective flow of the sterilising agent and a peel-off system which provides aseptic conditions on opening. Through medical paper specially developed to meet the requirements of steam sterilisation, BOP® has a 60 g/m² paper surface which is performance-equivalent in terms of resistance and barrier to 70g/m² paper. Apart from the ecological aspect concerning the volume of waste to be treated, the reinforced 60g/m² paper, combined with tear-proof “shatterless” film, offers flexible packaging and easy opening that are incomparable for this type of packaging.

CHARACTERISTICS :

- NF EN ISO 11607-1 and EN 868-5
- Medical grade 60g/m² paper+ tear-proof shatterless film
- Double flow indicator(ISO 11140-1) intrafilm printed EO Steam and Gas
- Wide range of sizes in all formats (flat, gusset and self-adhesive)
- No curling on opening
- Excellent peel-off opening
- Peel-off direction printed on reels
- Reduction of noise on opening compared to traditional packaging.

This reels are available in 200 meters and sizes are as follows:
5cm., 7.5cm., 10cm., 15cm., 20cm., 25cm., 30cm., 38cm. and 42cm.

AHLSTROM Wrapping Paper



Crepe Paper

Ahlstrom Crepe is a wet strength creped paper incorporating a technique to produce softness and conformability in conjunction with good drape characteristics. It offers high water repellency, good strength and barrier properties. Available in Bleached Green Color.

It offers high performance for both water and mechanical resistance and for drapability.

The material ensure an effective sterile barrier system to maintain the integrity of components.

60 g/m²

Excellent bacterial barrier


Good mechanical strength.

Good drapability.

Water resistant.

Sizes: 50 x 50cm., 75 x 75cm.,

100 x 100cm., 120 x 120cm.



Non-woven Paper

Ahlstrom Reliance® SMMMS nonwoven wrapping material utilizes the newest and most advanced manufacturing equipment. The sheet is made from FIVE layers (SMMMS) of polypropylene fibres bound together to make a single composite structure.

Ahlstrom Reliance 440 is manufactured from synthetic fibers and has an Antistatic (AS) treatment and does not contain any natural rubber.

Applications:

Reliance 450 is intended for single use applications for wrapping fabric.

Could be used as inner or as an external layer.

Compatible with:

Steam (121-134°C)

Ethylene Oxide sterilization methods,

Vapor Hydrogen Peroxide GAS PLASMA

Sizes: 50 X 50, 75 X 75, 100 x 100, 120 x 120
(Custom Sizes Available)

SteriUNO Sterilization Reel Steam & EtO



SteriUNO[™] offers users an effective microbial barrier while guaranteeing the effective flow of the sterilising agent and a peel-off system which provides aseptic conditions on opening.

CHARACTERISTICS

- NF EN ISO 11607-1 and EN 868-5
- Medical grade 60g/m² paper+ tear-proof shatterless film
- No curling on opening. Excellent peel-off opening
- Peel-off direction printed on reels



Tyvek Sterilization Reel Steam

CHARACTERISTICS

- All Arrowpack reels are produced under cleanroom conditions. Arrowpack plasma is designed for hydrogen peroxide sterilization procedure, but can also be used in ETO Or other low temperature sterilization procedures.
- When printing the indicators, Arrowpack only uses a special non toxic heavy metal free ink. Arrowpack indicators are printed in between sealing lines in order to avoid any decrease of sealing strength and to prevent migration or contact with the sterile medical devices.
- Indicators change colour from the red to blue.
All Arrowpack sterilization reels are produced according to standard ISO EN 11607- and EN868-5





An ISO 9001 Registered Company 

Kitten Enterprises Pvt Ltd.

W 407, Rabale MIDC, Near "Hamara Mahanagar" Press, Navi Mumbai 400701, India.

Tel: +91-22-27646464, 9930359882 | Fax: +91-22-27649299

Email: bparekh@kitten.co.in | Web: www.kitten.co.in